



Repeat Prescribing in eLJF-CLINICAL

Hypertension

Click the Drug Regimen below to prescribe a diuretic for Hypertension

Prescribing Notes **Lothian Hypertension Guidelines**

THIAZIDE (BENDROFLUMETHIAZIDE)
POTASSIUM-SPARING DIURETICS AND ALDOSTERONE ANTAGONISTS (SPIRONOLACTONE)

Click the Drug Regimen below to prescribe a beta-blocker for Hypertension
BETA-ADRENOCEPTOR BLOCKING DRUGS (ATENOLOL)
BETA-ADRENOCEPTOR BLOCKING DRUGS (BISOPROLOL)

Click the Drug Regimen below to prescribe an ACE, ARB or alpha-blocker for Hypertension
ANGIOTENSION-CONVERTING ENZYME INHIBITORS (LISINOPRIL)

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (LOSARTAN)
Hypertension dose usually 50mg once daily (intravascular depletion initially 25mg once daily)
Increase if necessary after several weeks to 100mg once daily

LOSARTAN 25MG DAILY (28 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 25MG DAILY (56 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 50MG DAILY (28 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 50MG DAILY (56 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 100MG DAILY (28 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 100MG DAILY (56 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (CANDESARTAN)

ALPHA-ADRENOCEPTOR BLOCKING DRUGS (DOXAZOSIN)

Click the Drug Regimen below to prescribe a calcium-channel blocker for Hypertension
CALCIUM-CHANNEL BLOCKER (AMLODIPINE)

Select medicine for repeat prescribing.

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (LOSARTAN)
Hypertension dose usually 50mg once daily (intravascular depletion initially 25mg once daily)
Increase if necessary after several weeks to 100mg once daily

LOSARTAN 25MG DAILY (28 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 25MG DAILY (56 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 50MG DAILY (28 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 50MG DAILY (56 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 100MG DAILY (28 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 100MG DAILY (56 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (CANDESARTAN)

Prescribe Drug

Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

This drug will be prescribed now press OK to continue or Cancel.

☐ Repeat
☒ Acute

OK Cancel

Date: 08.11.2021

Version: 3.0

Review date: 08.11.2022

Prepared by: Medicines Management Team Loth.prescribing2@nhslothian.scot.nhs.uk

Page 1 of 3



Change from 'Acute' to 'Repeat' prescription.

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (LOSARTAN)

Hypertension dose usually 50mg once daily (intravascular depletion initially 25mg once daily)
Increase if necessary after several weeks to 100mg once daily

LOSARTAN 25MG DAILY (28 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 25MG DAILY (56 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 50MG DAILY (28 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 50MG DAILY (56 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 100MG DAILY (28 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 100MG DAILY (56 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

Prescribe Drug

Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet

This drug will be prescribed now press OK to continue or Cancel.

☒ Repeat
☐ Acute

OK Cancel

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (CANDESARTAN)

The contents of the 'Repeat Until Date' and 'Days Between Issues' (Min and Max) boxes usually need to be empty before proceeding.

BETA-ADRENOCEPTOR BLOCKING DRUGS (ATENOLOL)

BETA-ADRENOCEPTOR BLOCKING DRUGS (BISOPROLOL)

Click the Drug

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (LOSARTAN)

Hypertension dose usually 50mg once daily (intravascular depletion initially 25mg once daily)
Increase if necessary after several weeks to 100mg once daily

LOSARTAN 25MG DAILY (28 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 25MG DAILY (56 DAYS)
Losartan 25mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 50MG DAILY (28 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 50MG DAILY (56 DAYS)
Losartan 50mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 100MG DAILY (28 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 100MG DAILY (56 DAYS)
Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (CANDESARTAN)

Repeat Master - Add

Date Prescribed: 11 October 2021 Prescriber: Hurding, Dr Simon Source of Drug: In practice

Drug: Losartan 25mg tablets

Quantity: 28 Preparation: tablet Pack Size: Treat Days: 28

Repeat Until Date: Days Between Issues: Min: Max:

☐ P/Admin ☐ Dispensed ☐ Private ☒ Print Script ☐ PRN

Repeats: CMS

☐ Force Re-authorise

No drug allergy status recorded.

OK Cancel Help

CHECK
EMPTY

CHECK
QUANTITY

CHECK
EMPTY



Enter a number into the 'Repeats' box to determine how many prescriptions can be issued before Review and hit 'OK' and complete prescription as you would normally

BETA-ADRENOCEPTOR BLOCKING DRUGS (ATELOLOL)

BETA-ADRENOCEPTOR BLOCKING DRUGS (BISOPROLOL)

Click the Drug

ANGIOTENSIN II RECEPTOR ANTAGONISTS (CANDESARTAN)

ANGIOTENSIN II RECEPTOR ANTAGONISTS (LOSARTAN)

Hypertension
Increase if ne

LOSARTAN 25mg tablets

Repeat Master - Add

Date Prescribed: 11 October 2021
Prescriber: Hurding, Dr Simon
Source of Drug: In practice

☐ P/Admin ☐ Dispensed
☐ Private ☒ Print Script

☐ PRN

Repeats: 5 CMS

Repeat Until Date:

Days Between Issues
Min: Max:

☐ Force Re-authorise

Quantity: 56 Preparation: tablet Pack Size: Treat Days: 28

Dosage: TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH

Drug Class: Angiotensin-II receptor antagonists

No drug allergy status recorded.

OK Cancel Help

ENTER NUMBER

WHEN WELL AGAIN Supply: 28 tablet days: 28

WHEN WELL AGAIN Supply: 56 tablet days: 56

WHEN WELL AGAIN Supply: 28 tablet days: 28

WHEN WELL AGAIN Supply: 56 tablet days: 56

LOSARTAN 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 28 tablet days: 28

LOSARTAN 100MG DAILY (56 DAYS)

Losartan 100mg tablets TAKE ONE TABLET ONCE DAILY. STOP TEMPORARILY WHEN UNWELL WITH VOMITING, DIARRHOEA OR FEVER. RESTART WHEN WELL AGAIN Supply: 56 tablet days: 56

ANGIOTENSIN-II RECEPTOR ANTAGONISTS (CANDESARTAN)